Geotechnical Testing Journal
Index to Volume 13
1990

Number	Issue	Pages
1	March	1–76
2	June	77–152
3	September	153–268
4	December	269–396

A

Abrasion: Abrasion Tests for Railroad Ballast (Selig and Boucher), December, 301

Ali, M. M.: Statistical Evaluation of Bangkok Clay Shear Strength Parameters, September, 250

Analysis of variance: Suction-Moisture Content Calibration of Filter Papers from Different Boxes (Sibley, Smyth, and Williams), September, 257

Anderson, D. C.: *see* Sai, J. O. and Anderson, D. C.

Angle of friction: Geotechnical Properties of Expanded Shale Lightweight (Valsangkar and Holm), March, 10

Angle of internal friction: Geotechnical Properties of Expanded Shale Lightweight (Valsangkar and Holm), March, 10

Arenicz, R. M.: *see* Ashaari, Y. and Arenicz, R. M.

Arenicz, R. M.: Transition from Maximum Tension Line to Acutal Failure Surface in Reinfoced Soil Model Walls, June, 83

Ashaari, Y. and Arenicz, R. M.: Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls, September, 188

Atkinson, L. C. and Gale, J. E.: Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model, December, 334

Automation: Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System (Sheahan, Germaine, and Ladd), September, 153

Azizi, F.: *see* Graham, J., Jamieson, M. R., Ho, D. Y.-F, and Azizi, F.

B

B-testing: Measurement of B-Values Less Than Unity for Thinly Interbeded Varved Clay (Eigenbrod and Burak), December, 370

Back pressure saturation: Automatic Back-Pressure Saturation Device for Triaxial Testing (Brandon, Duncan, and Cadden), June, 77

Backfill thrust: Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls (Ashaari and Arenicz), September, 188

Ballast: Abrasion Tests for Railroad Ballast (Selig and Boucher), December, 301

Bangkok clay: Statistical Evaluation of Bangkok Clay Shear Strength Parameters (Ali), September, 250

Bearing capacities: Evaluation of Allowable Pressure Under Foundations (Reznik), March, 53

Biaxial compression apparatus: A Biaxial Apparatus for Testing Soils (Drescher, Verdoulakis, and Han), September, 226

Blaney, G. W.: *see* Lewis, M. J. and Blaney, G. W.

Blasts: An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction (Veyera and Charlie), December, 312

Boucher, D. L.: *see* Selig, E. T. and Boucher, D. L.

Brandon, T. L., Duncan, J. M., and Cadden, A. W.: Automatic Back-Pressure Saturation Device for Triaxial Testing, June, 77

Bulking: Physical and Statistical Models for Bulking of Sand (Neema, Patel and Sharda), June, 115

Burak, J. P.: *see* Eigenbrod, K. D. and Burak, J. P.

C

Cadden, A. W.: *see* Brandon, T. L., Duncan, J. M., and Cadden, A. W.

Calibration chambers: Design of a Large Calibration Chamber (Sweeney and Clough), March, 36

Calibrations
- A New Filter Material for Measuring Soil Suction (Williams), December, 375
- Generalized Calibration of a Nuclear Moisture/Density Depth Gauge (Morris and Williams), March, 24
- Pressuremeter Creep Testing in Ice: Calibration and Test Procedures (Kjartanson, Shields, and Domaschuk), March, 3
- Suction-Moisture Content Calibration of Filter Papers from Different Boxes (Sibley, Smyth, and Williams), September, 257

Callan, C. A.: *see* Hagerty, D. J., Ullrich, C. R., and Callan, C. A.

Capillary pressures: A New Filter Material for Measuring Soil Suction (Williams), December, 375

Carbowax impregnation: Shear Zone Characterization in Sands by Carbowax Impregnation (Hryciw and Irsyam), March, 49

Centrifuges: Frequency Response of Diaphragm Pore Pressure Transducers in Dynamic Centrifuge Model Tests (Lee), September, 201

Chang, T.-S., Woods, R. D., and Henghui, H. L.: Preparation of Grouted Sand Specimens for Dynamic Testing, September, 235

Charlie, W. A.: *see* Veyera, G. E. and Charlie, W. A.

Charlie, W. A., Ross, C. A, and Pierce, S. J.: Split-Hopkinson Pressure Bar Testing of Unsaturated Sand, December, 291

Clays
- Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375
- Design and Testing of a Synthetic Clay Soil (Lewis and Blaney), December, 269
- Influence of Storage and Reconsolidation Procedures on Clay Properties (Graham, Jamieson, Ho, and Azizi), December, 280

Clough, G. W.: *see* Sweeney, B. P. and Clough, G. W.

Coal tailings: Generalized Calibration of a Nuclear Moisture/Density Depth Gauge (Morris and Williams), March, 24

Coarse aggregates: Geotechnical Properties of Expanded Shale Lightweight (Valsangkar and Holm), March, 10

Coarse-grained soils: Inadequacy in the Classification of Coarse-Grained Soils (Sivakugan), June, 134

Cohesion: Evaluation of Allowable Pressure Under Foundations (Reznik), March, 53

Cohesive soils: Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System (Sheahan, Germaine, and Ladd), September, 153

Compacted soil liner: Field Hydraulic Conductivity Tests for Compacted Soil Liners (Sai and Anderson), September, 215

Compaction
- Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos (Noorany), June, 146
- Effects of Oversize Particles on the Density of Clean Granular Soils (Fragaszy, Su, and Siddiqi), June, 106

Compressibility: Simplified Heave Prediction Model for Expansive Shale (Dhowian), December, 323

Computer application: Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System (Sheahan, Germaine, and Ladd), September, 153

Cone penetrometer test: Design of a Large Calibration Chamber (Sweeney and Clough), March, 36

Crushed stones: Abrasion Tests for Railroad Ballast (Selig and Boucher), December, 301

Culverts: Measuring Strains in Buried Flex-

ible Pipes (Moore and Donaldson), September, 208
Cyclic: Axial Deformation Measurement in Repeated Load Triaxial Testing (Nataatmadja and Parkin), March, 45
Cyclic shear test: Shear Zone Characterization in Sands by Carbowax Impregnation (Hryciw and Irsyam), March, 49

D

Deformation: Evaluation of Allowable Pressure Under Foundations (Reznik), March, 53
Deformation gages: Axial Deformation Measurement in Repeated Load Triaxial Testing (Nataatmadja and Parkin), March, 45
Density
Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos (Noorany), June, 146
Effects of Oversize Particles on the Density of Clean
Granular Soils (Fragaszy, Su, and Siddiqi), June, 106
Generalized Calibration of a Nuclear Moisture/Density Depth Gauge (Morris and Williams), March, 24
Denton, M. M.: *see* Hagerty, D. J., Ullrich, C. R. and Denton, M. M.
Dhowian, A. W.: Simplified Heave Prediction Model for Expansive Shale, December, 323
Domaschuk, L.: *see* Kjartanson, B. H., Shields, D. H., and Domaschuk, L.
Donaldson, C. F.: *see* Moore, C. A. and Donaldson, C. F.
Drescher, A., Vardoulakis, I., and Han, C.: A Biaxial Apparatus for Testing Soils, September, 226
Drnevich, V. P.: *see* Min, T., Drnevich, V. P., and Wang, J.
Duncan, J. M.: *see* Brandon, T. L., Duncan, J. M. and Cadden, A. W.
Dynamic property: Preparation of Grouted Sand Specimens for Dynamic Testing (Chang, Woods, and Henghui), September, 235
Dynamic testing: Preparation of Grouted Sand Specimens for Dynamic Testing (Chang, Woods, and Henghui), September, 235

E

Eigenbrod, K. D. and Burak, J. P.: Measurement of B-Values Less Than Unity for Thinly Interbeded Varved Clay, December, 370

F

Feedback systems: An Automatic Feedback System for Resonant Column Testing (Morris), March, 16
Field tests: Field Hydraulic Conductivity Tests for Compacted Soil Liners (Sai and Anderson), September, 215
Field unit weight: Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos (Noorany), June, 146
Filter materials: A New Filter Material for Measuring Soil Suction (Williams), December, 375
Filter tests: Suction-Moisture Content Calibration of Filter Papers from Different Boxes (Sibley, Smyth, and Williams), September, 257
Float permeability: Automated Measurement of Slurry Surface Settlement (Tan, Tan, and Liang), June, 125
Fragaszy, R. J., Su, W., and Siddiqu, F. H.: Effects of Oversize Particles on the Density of Clean Granular Soils, June, 106
Frydman, S.: *see* Talesnick, M. and Frydman, S.

G

Gale, J. E.: *see* Atkinson, L. C. and Gale, J. E.
Geotechnical materials: Design and Testing of a Synthetic Clay Soil (Lewis and Blaney), December, 269
Germaine, J. T.: *see* Sheahan, T. C., Germaine, J. T., and Ladd, C. C.
Goto, S.: *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato,T., and Kong, X. J.
Graham, J.: *see* Wan, A. W. L., Graham, J., and Gray, M. N.
Graham, J., Jamieson, M. R., Ho, D. Y.-F, and Azizi, F.: Influence of Storage and Reconsolidation Procedures on Clay Properties, December, 280
Grain size distribution: Inadequacy in the Classification of Coarse-Grained Soils (Sivakugan), June, 134
Granular materials: Effects of Oversize Particles on the Density of Clean Granular Soils (Fragaszy, Su, and Siddiqi), June, 106
Gray, M. N.: *see* Wan, A. W. L., Graham, J., and Gray, M. N.
Groundwater flow: Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model (Atkinson and Gale), December, 334

H

Hagerty, D. J., Ullrich, C. R., and Callan, C. A.: Microwave Drying of Highly Plastic and Organic Soils, June, 142
Hagerty, D. J., Ullrich, C. R., and Denton, M. M.: Microwave Drying of Soils, June, 138
Han, C.: *see* Drescher, A., Vardoulakis, I., and Han, C.
Heaving: Simplified Heave Prediction Model for Expansive Shale (Dhowian), December, 323
Henghui, H. L.: *see* Chang, T.-S., Woods, R. D., and Henghui, H. L.
Herrmann, L. R.: *see* Kutter, B. C., Sathialingam, N., and Herrmann, L. R.
Ho, D. Y.-F.: *see* Graham, J., Jamieson, M. R., Ho, D. Y.-F, and Azizi, F.
Hollow cylinder: The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay (Talesnick and Frydman), September, 243
Holm, T. A.: *see* Valsangkar, A. J. and Holm, T. A.
Hryciw, R. D.: *see* Thomann, T. G. and Hryciw, R. D.
Hryciw, R. D. and Irsyam, M.: Shear Zone Characterization in Sands by Carbowax Impregnation, March, 49
Hydraulic conductivity: Field Hydraulic Conductivity Tests for Compacted Soil Liners (Sai and Anderson), September, 215
Hydraulic models: Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model (Atkinson and Gale), December, 334

I

Ice: Pressuremeter Creep Testing in Ice: Calibration and Test Procedures (Kjartanson, Shields, and Domaschuk), March, 3
Impact tests: Split-Hopkinson Pressure Bar Testing of Unsaturated Sand (Charlie, Ross, and Pierce), December, 291
In situ density: Sampling of Saturated and Unsaturated Sands by Freezing (Konrad), June, 88
Instrumentation: Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique (Tatsuoka, Shibuya, Goto, Sato, and Kong), March, 63
Irsyam, M.: *see* Hryciw, R. D. and Irsyam, M.

J

Jamieson, M. R.: *see* Graham, J., Jamieson, M. R., Ho, D. Y.-F, and Azizi, F.
Joshi, S.: *see* Sridharan, A., Rao, S. M., and Joshi, S.

K

Kjartanson, B. H., Shields, D. H., and Domaschuk, L.: Pressuremeter Creep Testing in Ice: Calibration and Test Procedures, March, 3
Kong, X. J.: *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.
Konrad, J.-M.: Sampling of Saturated and Unsaturated Sands by Freezing, June, 88
Kuerbis, R. H. and Vaid, Y. P.: Corrections for Membrane Strength in the Triaxial Test, December, 361
Kutter, B. C., Sathialingam, N., and Herrmann, L. R.: Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay, September, 164

L

Laboratory automation: Automatic Back-Pressure Saturation Device for Triaxial Testing (Brandon, Duncan, and Cadden), June, 77
Laboratory tests: Design of a Large Calibration Chamber (Sweeney and Clough), March, 36
Ladd, C. C.: *see* Sheahan, T. C., Germaine, J. T., and Ladd, C. C.
Lateral stresses: Laboratory Measurement of Small Strain Shear Modulus Under K_o conditions (Thomann and Hryciw), June, 97
Lee, F.-H.: Frequency Response of Diaphragm Pore Pressure Transducers in Dy-

namic Centrifuge Model Tests, September, 201
Lewis, M. J. and Blaney, G. W.: Design and Testing of a Synthetic Clay Soil, December, 269
Liang, K. M.: *see* Tan, S.-A., Tan, T.-S., and Liang, K. M.
Liquefaction: An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction (Veyera and Charlie), December, 312
Lo, S.-C. R.: Determination of Design Parameters of a Mesh-Type Soil Reinforcement, December, 343

M

Membranes: Corrections for Membrane Strength in the Triaxial Test (Kuerbis and Vaid), December, 361
Microprocessors: Measuring Strains in Buried Flexible Pipes (Moore and Donaldson), September, 208
Microwave drying
Microwave Drying of Highly Plastic and Organic Soils (Hagerty, Ullrich, and Callan), June, 142
Microwave Drying of Soils (Hagerty, Ullrich, and Denton), June, 138
Min, T., Drnevich, V. P., and Wang, J.: Effects of Imperfect Fixity in Spring-Top Resonant Column Tests, December, 351
Model tests: Frequency Response of Diaphragm Pore Pressure Transducers in Dynamic Centrifuge Model Tests (Lee), September, 201
Model walls: Transition from Maximum Tension Line to Actual Failure Surface in Reinforced Soil Model Walls (Arenicz), June, 83
Models: Effects of Imperfect Fixity in Spring-Top Resonant Column Tests (Min, Drnevich, and Wang), December, 351
Moisture: Physical and Statistical Models for Bulking of Sand (Neema, Patel, and Sharda), June, 115
Moisture content
Microwave Drying of Highly Plastic and Organic Soils (Hagerty, Ullrich, and Callan), June, 142
Microwave Drying of Soils (Hagerty, Ullrich, and Denton), June, 138
Moore, C. A. and Donaldson, C. F.: Measuring Strains in Buried Flexible Pipes, September, 208
Morris, D. V.: An Automatic Feedback System for Resonant Column Testing, March, 16
Morris, P. H. and Williams, D. J.: Generalized Calibration of a Nuclear Moisture/Density Depth Gauge, March, 24

N

Nataatmadja, A. and Parkin, A. K.: Axial Deformation Measurement in Repeated Load Triaxial Testing, March, 45
Neema, D. L., Patel, A. N., and Sharda, B. L.: Physical and Statistical Models for Bulking of Sand, June, 115
Noorany, I.: Discussion of "Compaction Control and the Index Unit Weight" by Steve J. Poulos, June, 146
Nuclear waste containment: Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures (Wan, Graham, and Gray), September, 179

O

Organic soils: Microwave Drying of Highly Plastic and Organic Soils (Hagerty, Ullrich, and Callan), June, 142

P

Parkin, A. K.: *see* Nataatmadja, A. and Parkin, A. K.
Patel, A. N.: *see* Neema, D. L., Patel, A. N., and Sharda, B. L.
Penetration tests: Geotomography in Site Investigation: Simulation Study (Tallin and Santamarina), June, 129
Pierce, S. J.: *see* Charlie, W. A., Ross, C. A, and Pierce, S. J.
Pore pressure
An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction (Veyera and Charlie), December, 312
Frequency Response of Diaphragm Pore Pressure Transducers in Dynamic Centrifuge Model Tests (Lee), September, 201
Measurement of B-Values Less Than Unity for Thinly Interbeded Varved Clay (Eigenbrod and Burak), December, 370
Pore water pressure: Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay (Kutter, Sathialingam, and Herrmann), September, 164
Porosity: Physical and Statistical Models for Bulking of Sand (Neema, Patel, and Sharda), June, 115
Pressuremeter: Pressuremeter Creep Testing in Ice: Calibration and Test Procedures (Kjartanson, Shields, and Domaschuk), March, 3
Pumping tests: Design, Construction, and Testing of a Large-Scale, Radial Fracture Flow Model (Atkinson and Gale), December, 334
Pyles, M. R.: *see* Schoenemann, M. R. and Pyles, M. R.

R

Rao, S. M.: *see* Sridharan, A., Rao, S. M., and Joshi, S.
Regression: Statistical Description of Triaxial Shear Test Results (Schoenemann and Pyles), March, 58
Reinforced soil
Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls (Ashaari and Arenicz), September, 188
Transition from Maximum Tension Line to Actual Failure Surface in Reinforced Soil Model Walls (Arenicz), June, 83
Reinforcement: Determination of Design Parameters of a Mesh-Type Soil Reinforcement (Lo), December, 343
Residual soils: Statistical Description of Triaxial Shear Test Results (Schoenemann and Pyles), March, 58
Resonance
An Automatic Feedback System for Resonant Column Testing (Morris), March, 16
Effects of Imperfect Fixity in Spring-Top Resonant Column Tests (Min, Drnevich, and Wang), December, 351
Response time: Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay (Kutter, Sathialingam, and Herrmann), September, 164
Reznik, Y. M.: Evaluation of Allowable Pressure Under Foundations, March, 53
Ross, C. A.: *see* Charlie, W. A., Ross, C. A, and Pierce, S. J.

S

Sai, J. O. and Anderson, D. C.: Field Hydraulic Conductivity Tests for Compacted Soil Liners, September, 215
Sampling: Sampling of Saturated and Unsaturated Sands by Freezing (Konrad), June, 88
Sand-bentonite: Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures (Wan, Graham, and Gray), September, 179
Sands
A Biaxial Apparatus for Testing Soils (Drescher, Verdoulakis, and Han), September, 226
Laboratory Measurement of Small Strain Shear Modulus Under K_o conditions (Thomann and Hryciw), June, 97
Sampling of Saturated and Unsaturated Sands by Freezing (Konrad), June, 88
Split-Hopkinson Pressure Bar Testing of Unsaturated Sand (Charlie, Ross, and Pierce), December, 291
Santamarina, C.: *see* Tallin, A. G. and Santamarina, C.
Sathialingam, N.: *see* Kutter, B. C., Sathialingam, N., and Herrmann, L. R.
Sato, T.: *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.
Schoenemann, M. R. and Pyles, M. R.: Statistical Description of Triaxial Shear Test Results, March, 58
Sediment sampling: Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375
Selig, E. T. and Boucher, D. L.: Abrasion Tests for Railroad Ballast, December, 301
Shales: Simplified Heave Prediction Model for Expansive Shale (Dhowian), December, 323
Sharda, B. L.: *see* Neema, D. L., Patel, A. N., and Sharda, B. L.
Sheahan, T. C., Germaine, J. T., and Ladd, C. C.: Automated Triaxial Testing of Soft Clays: An Upgraded Commercial System, September, 153
Shear modulus
Laboratory Measurement of Small Strain Shear Modulus Under K_o Conditions (Thomann and Hryciw), June, 97
Preparation of Grouted Sand Specimens for Dynamic Testing (Chang, Woods, and Henghui), September, 235
Shear strength parameters: Statistical Evaluation of Bangkok Clay Shear Strength Parameters (Ali), September, 250

Shibuya, S.: *see* Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.
Shields, D. H.: *see* Kjartanson, B. H., Shields, D. H., and Domaschuk, L.
Shock tests: Split-Hopkinson Pressure Bar Testing of Unsaturated Sand (Charlie, Ross, and Pierce), December, 291
Sibley, J. W., Smyth, G. K., and Williams, D. J.: Suction-Moisture Content Calibration of Filter Papers from Different Boxes, September, 257
Sibley, J. W. and Williams, D. J.: A New Filter Material for Measuring Soil Suction, December, 375
Siddiqu, F. W.: *see* Fragasy, R. J., Su, W., and Siddiqu, F. W.
Site investigation
Geotomography in Site Investigation: Simulation Study (Tallin and Santamarina), June, 129
Influence of Storage and Reconsolidation Procedures on Clay Properties (Graham, Jamieson, Ho, and Azizi), December, 280
Sivakugan, N.: Inadequacy in the Classification of Coarse-Grained soils, June, 134
Slurry surface settlement: Automated Measurement of Slurry Surface Settlement (Tan, Tan, and Liang), June, 125
Smyth, G. K.: *see* Sibley, J. W., Smyth, G. K., and Williams, D. J.
Soft clay: The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay (Talesnick and Frydman), September, 243
Soil classifications: Inadequacy in the Classification of Coarse-Grained Soils (Sivakugan), June, 134
Soil modulus: An Automatic Feedback System for Resonant Column Testing (Morris), March, 16
Soil reinforcement
Effect of Backfill Thrust on Vertical Pressure Distribution in Reinforced Soil Model Walls (Ashaari and Arenicz), September, 188
Transition from Maximum Tension Line to Actual Failure Surface in Reinforced Soil Model Walls (Arenicz), June, 83
Soil structure
Design and Testing of a Synthetic Clay Soil (Lewis and Blaney), December, 269
Determination of Design Parameters of a Mesh-Type Soil Reinforcement (Lo), December, 343
Influence of Storage and Reconsolidation Procedures on Clay Properties (Graham, Jamieson, Ho, and Azizi), December, 280
Soil tests: Determination of Design Parameters of a Mesh-Type Soil Reinforcement (Lo), December, 343
Soils
A Biaxial Apparatus for Testing Soils (Drescher, Verdoulakis, and Han), September, 226
Microwave Drying of Soils (Hagerty, Ullrich, and Denton), June, 138
Specimen preparation: The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay (Talesnick and Frydman), September, 243
Sridharan, A., Rao, S. M., and Joshi, S.: Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375
Statistical analysis
Statistical Description of Triaxial Shear Test Results (Schoenemann and Pyles), March, 58
Statistical analysis: Statistical Evaluation of Bangkok Clay Shear Strength Parameters (Ali), September, 250
Strain
Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique (Tatsuoka, Shibuya, Goto, Sato, and Kong), March, 63
Measuring Strains in Buried Flexible Pipes (Moore and Donaldson), September, 208
Stress: Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique (Tatsuoka, Shibuya, Goto, Sato, and Kong), March, 63
Su, W.: *see* Fragasy, R. J., Su, W., and Siddiqu, F. W.
Sweeney, B. P. and Clough, G. W.: Design of a Large Calibration Chamber, March, 36
Swelling: Classification of Expansive Soils by Sediment Volume Method (Sridharan, Rao, and Joshi), December, 375

T

Talesnick, M. and Frydman, S.: The Preparation of Hollow Cylinder Specimens from Undisturbed Tube Samples of Soft Clay, September, 243
Tallin, A. G. and Santamarina, C.: Geotomography in Site Investigation: Simulation Study, June, 129
Tan, T.-S.: *see* Tan, S.-A., Tan, T.-S., and Liang, K. M.,
Tan, S.-A., Tan, T.-S., and Liang, K. M.: Automated Measurement of Slurry Surface Settlement, June, 125
Tatsuoka, F., Shibuya, S., Goto, S., Sato, T., and Kong, X. J.: Discussion on "The Use of Hall Effect Semiconductors in Geotechnical Instrumentation" by C. R. I. Clayton, S. A. Khatrush, A. V. D. Bica, and A. Siddique, March, 63
Test apparatus: Automated Measurement of Slurry Surface Settlement (Tan, Tan, and Liang), June, 125
Thomann, T. G. and Hryciw, R. D.: Laboratory Measurement of Small Strain Shear Modulus Under K_o Conditions, June, 97
Tomography: Geotomography in Site Investigation: Simulation Study (Tallin and Santamarina), June, 129
Transducer: Effects of Arching on Response Time of Miniature Pore Pressure Transducer in Clay (Kutter, Sathialingam, and Herrmann), September, 164
Triaxial stress: Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures (Wan, Graham, and Gray), September, 179
Triaxial tests
Automatic Back-Pressure Saturation Device for Triaxial Testing (Brandon, Duncan, and Cadden), June, 77
Axial Deformation Measurement in Repeated Load Triaxial Testing (Nataatmadja and Parkin), March, 45
Corrections for Membrane Strength in the Triaxial Test (Kuerbis and Vaid), December, 361

U

Ullrich, C. R.: *see* Hagerty, D. J., Ullrich, C. R., and Denton, M. M.
Ulrich, C. R., *see* Hagerty, D. J., Ullrich, C. R., and Callan, C. A.

V

Vaid, Y. P.: *see* Kuerbis, R. H. and Vaid, Y. P.
Valsangkar, A. J. and Holm, T. A.: Geotechnical Properties of Expanded Shale Lightweight Aggregate, March, 10
Vardoulakis, I.: *see* Drescher, A., Vardoulakis, I., and Han, C.
Varved clays: Measurement of B-Values Less Than Unity for Thinly Interbeded Varved Clay (Eigenbrod and Burak), December, 370
Veyera, G. E. and Charlie, W. A.: An Experimental Laboratory Facility for Studying Shock-Induced Liquefaction, December, 312
Viscoelasticity: Effects of Imperfect Fixity in Spring-Top Resonant Column Tests (Min, Drnevich, and Wang), December, 351
Void ratio: Shear Zone Characterization in Sands by Carbowax Impregnation (Hryciw and Irsyam), March, 49

W

Wan, A. W. L., Graham, J., and Gray, M. N.: Influence of Soil Structure on the Stress-Strain Behavior of Sand-Bentonite Mixtures, September, 179
Wang, J.: *see* Min, T., Drnevich, V. P., and Wang, J.
Williams, D. J.: *see* Morris, P. H. and Williams, D. J.
Williams, D. J.: *see* Sibley, J. W. and Williams, D. J.
Williams, D. J.: *see* Sibley, J. W., Smyth, G. K., and Williams, D. J.
Woods, R. D.: *see* Chang, T.-S., Woods, R. D., and Henghui, H. L.